

**MESSRS:
PUGI R.G. S.R.L.
VIALE MARCONI 50/15
59100 PRATO (PO)
ITALIA**

REPORT NR. 2002070-002
REPORT DATE 12/06/2020
ACCEPTANCE DATE 11/06/2020
START TEST DATE 11/06/2020
END TEST DATE 12/06/2020
SAMPLING BY CUSTOMER

TEST REPORT


SAMPLE DESCRIPTION FABRIC ART. MIRAGE E 6000 COL. 6053

THE REPORT IS MADE BY THE FOLLOWING TESTS:

TEST	METHOD	ACCREDIA
3008011 Colour fastness - Crocking dry and wet A	UNI EN ISO 105 X12:2016	

Technical Manager

Dott.ssa Valentina Guidotti



Managing Director

Patrizia Rosati



(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
PUGI R.G. S.R.L.
VIALE MARCONI 50/15
59100 PRATO (PO)
ITALIA

REPORT NR.	2002070-002
REPORT DATE	12/06/2020
ACCEPTANCE DATE	11/06/2020
START TEST DATE	11/06/2020
END TEST DATE	12/06/2020
SAMPLING BY CUSTOMER	

NOTES ANALYTICAL TESTS

- **3008011 Colour fastness - Crocking dry and wet A** **UNI EN ISO 105 X12:2016**
Evaluation with grey scale for colour staining according with ISO 150 A03; Percentage of absorption of the test cloth: 95-100%; Strength burden of rubbing (circular ankle): 9N; The specimens have been acclimatized in atmosphere to 20±2°C and 65±4%RH in compliance with norm UNI EN ISO 139.

GENERAL NOTES

Quanto dichiarato in descrizione del campione è sotto la piena responsabilità del committente e non del laboratorio/The sample description content is under the full responsibility of the customer and not of the laboratory.

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it

TEST REPORT

MESSRS:
PUGI R.G. S.R.L.
VIALE MARCONI 50/15
59100 PRATO (PO)
ITALIA

REPORT NR. 2002070-002
REPORT DATE 12/06/2020
ACCEPTANCE DATE 11/06/2020
START TEST DATE 11/06/2020
END TEST DATE 12/06/2020
SAMPLING BY CUSTOMER

Tests	M.U.	Results	Method
3008011 Colour fastness - Crocking dry and wet A			UNI EN ISO 105 X12:2016
Warp - Dry	Grade	4-5	
Warp - Wet	Grade	4-5	
Weft - Dry	Grade	4-5	
Weft - Wet	Grade	4-5	

----- **END OF REPORT** -----

(*) = Test marked with asterisk are not accredited ACCREDIA.

Limits of use for ACCREDIA brand: LANARTEX is a lab accredited by ACCREDIA and therefore it complying with its obligations under the grant agreement signed with it. ACCREDIA brand can't be used on test materials, it can't also be used to imply the products certification.

The results contained in this report relates only to the sample tested and not to the lot / batch they want to represent. This test report can't be reproduced in part without written permission of LANARTEX.

LANARTEX srl ; Via I Maggio,27 – 59013 Oste - Montemurlo (PO)
Tel +39 0574 071701 Fax +39 0574 899903 e mail : labo@lanartex.it - web : www.lanartex.it