

PUGI R.G. S.R.L. VIALE MARCONI 50/15

59100 PRATO (PO)

MESSRS:

LANARTEX S.r.I.

Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903

E-mail: labo@lanartex.it www.lanartex.it





LAB N° 0572 L

REPORT NR REPORT DATE 220005712-001 12/09/2022

ACCEPTANCE DATE START TEST DATE

05/09/2022 12/09/2022

END TEST DATE

12/09/2022

SAMPLING BY CUSTOMER

TEST REPORT

ART. JUNGLA COL. 12452 **Item Name:**

Material type: Orthogonal fabric

Intended use: Upholstery



Technical Manager Dott.ssa Guidotti Valentina

Manager Director Patrizia Rosati

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers exclusively to the submitted samples and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, the results apply to the sample as received. For any further information, please read the General Sales Condition on the Lanartex website.

MD 026/16



LANARTEX S.r.I.

Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903

E-mail: labo@lanartex.it www.lanartex.it





LAB N° 0572 L

REPORT NR REPORT DATE 220005712-001 12/09/2022

TEST LIST

TEST	METHOD	ACCREDIA
Colour fastness - Artificial light	UNI EN ISO 105 B02:2014	it not
Solidità delle Tinte - Luce artificiale	UNI EN ISO 105 B02.2014	
Colour fastness - Crocking dry and wet	UNI FN ICO 10F V12:2016	
Solidità delle Tinte - Sfregamento secco e umido	UNI EN ISO 105 X12:2016	

MD 026/16 2/3



LANARTEX S.r.l.

Via I Maggio, 27 59013 Oste - Montemurlo (PO) Tel.: 0574-071701 Fax: 0574-899903

E-mail: labo@lanartex.it www.lanartex.it





LAB N° 0572 L

REPORT NR REPORT DATE 220005712-001 12/09/2022

RESULTS

Evaluated for compar tith 105 ISO B02 with v		CO CO		di prova: Xenotest la dei Grigi per il d valori da 1 a 8.				
		CO CO	pparecchiatura d	la dei Grigi per il d		5-6 li prova: Norma		
		CO CO	pparecchiatura d	la dei Grigi per il d		5-6 li prova: Norma		
		CO CO	pparecchiatura d	la dei Grigi per il d		li prova: Norma		
		CO CO	pparecchiatura d	la dei Grigi per il d		li prova: Norma		
		CO CO	nfronto con Sca	la dei Grigi per il d				
		CO CO	nfronto con Sca	la dei Grigi per il d				
			M.U.			RESULT		
wet	Lanc	Tough	Londo	lough	/cur	Toug	Tough	Tour
e umido								
	1000		Grade	Colle	1010	4-5	Tollo.	John John Market
			Grade			Lanca 4.00		
						4-5		
			Grade					
			Grade			4		
	/ Cillo	CUC	, circ.	CUC	' Ciuc.	1 Cilic	CUC	, circi
	jie Jonate			Grade Grade Grade Grade Valutazioni esegui	Grade Grade Grade Grade Valutazioni eseguite con scala dei grading according with ISO 105 A03; Percentage of	Grade Grade Grade Grade Valutazioni eseguite con scala dei grigi per lo stingi	Grade Grade 4-5 Grade 4-5 Grade 4 Grade 4 Grade Valutazioni eseguite con scala dei grigi per lo stingimento conform	Grade Grade 4-5 Grade 4-6 Grade Valutazioni eseguite con scala dei grigi per lo stingimento conformi alla norma ISO

END OF REPORT

(*) = Tests and analytes marked with asterisk are not accredited ACCREDIA. The content of the present document refers **exclusively to the submitted samples** and not to the batch that they want to represent. This report is made solely on the basis of materials supplied by the customer. This test report cannot be reproduced in part without written permission of LANARTEX. The sample description content is under the full responsibility of the customer and not of the laboratory. Except when specifically stated, **the results apply to the sample as received.** For any further information, please read the General Sales Condition on the Lanartex website.

MD 026/16