



Date: 06 January 2023

**TEST REPORT NO: 184355** 

PUGI RG SRL VIA GARIBALDI 33/B 51037 MONTALE PISTOIA ITALY

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Retailer Not Specified

Description of article FABRIC - ARTICLE NAME 'POSEIDON'

Retailer style number PINK

Retailer Standard Number UNKNOWN
Order No./ Buyer LORENZO PUGI
Quality/Fibre Composition 100% PL RECYCLED
Date Sample Received/Test Started: 15 December 2022

Tests	Pass	Fail	Remarks
BS EN 1021-1 Ignition Source 0	Х		
BS EN 1021-2 Ignition Source 1	Х		
BS 5852 Crib 5	Х		

(please note our uncertainty of measurement has been taken into account when the above results were pass/failed) (Any statement of conformity made in this report unless otherwise stated in the test specification(s) is in line with SGS United Kingdom (Leicester) Decision rule LEI-GEN-PROC-012).

Signature

Lucy Peberdy Technologist

For and on behalf of SGS United Kingdom Ltd

All samples are conditioned to ISO 139 where conditioning is required (unless otherwise stated)

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

Registered in England No: 1193985





**Test Results** 

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

SGS United Kingdom Ltd





## **Test Results**

# BS EN 1021-1 & 2:2014 Assessment of the ignitability of upholstered furniture Part 1 – Ignition source smouldering cigarette / Part 2 – Ignition source match flame

Description of Test Sample: Pink fabric Poseidon

## **Test Requested**

The test specimen has been tested to BS EN 1021 – 1 & 2: 2014 Smouldering cigarette and match flame.

## Pre - Treatment

The test specimen was subject to a water soak as outlined in Annex D with a temperature of 40 ± 1 °C.

## Conditioning

All materials to be tested and the cigarettes have been conditioned for at least 24 hours immediately before the tests in an atmosphere  $23 \pm 2^{\circ}$ C and  $50 \pm 5\%$  r.h.

## **Comments on Test Results**

The test specimen meets the requirements of BS EN 1021-1 & 2: 2014 where the result for both tests has been stated as non-ignition.

## **Uncertainty of measurement:**

Source 0

Progressive Smouldering +0 secs / -60 secs

Source 1

Smouldering +0 secs / -60 secs Flaming +0 secs / -2 secs

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

SGS United Kingdom Ltd





## **Test Results**

'The test results relate only to the ignitability of the combination of materials under particular conditions of test; they are not intended as a means of assessing the full fire hazard of the materials in use.'

## **Ignition source Smouldering Cigarette**

	Criteria of ignition	Cigarette 1 Criteria Observed	Cigarette 2 Criteria Observed
	Clause 3.1a	No	No
sive ering on	Clause 3.1b	No	No
ogressiv noulderii ignition	Clause 3.1c	No	No
Progressive smouldering ignition	Clause 3.1d	No	No
- 0,	Clause 3.1e	No	No
Flaming Ignition	Occurrence of flames	No	No
	Ignition occurring	Non – Ignition	Non – Ignition

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only





## **Test Results**

## **Ignition source Match Flame**

	Criteria of Ignition	Match Flame 1 Criteria Observed	Match Flame 2 Criteria Observed
	Clause 3.1a	No	No
sive ering	Clause 3.1b	No	No
ogressiv noulderii ignition	Clause 3.1c	No	No
Progressive smouldering ignition	Clause 3.1d	No	No
- 6	Clause 3.1e	No	No
	Clause 3.2a	No	No
Flaming Ignition	Clause 3.2b	No	No
Flan Igni	Clause 3.2c	No	No
,	Clause 3.2d	No	No
	Ignition occurring	Non – Ignition	Non – Ignition

## Test Report Number:

The test specimen was tested over Combustion modified foam (CMHR) with a density of 35kg/m<sup>3</sup>.

## Smouldering criteria of Ignition

Clause 3.1a – Test assembly displays escalating combustion behaviour so that it is unsafe to continue

Clause 3.1b - Test assembly that smoulders until it is largely consumed

Clause 3.1c – Test assembly that smoulders to the extremities within the test duration

Clause 3.1d – Test assembly that smoulders after one hour from application of the ignition source

Clause 3.1e - Test assembly on final examination shows evidence of progressive smouldering

## Flaming Ignition

Clause 3.2a – Test assembly displays escalating combustion behaviour so that it is unsafe to continue

Clause 3.2b - Test assembly burns until it is essentially consumed

Clause 3.2c – Flame reaches the lower margin, either side or passed through the full thickness

Clause 3.2d - Flaming continues for more than 120 seconds after removal of burner tube

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only





**Test Results** 

BS 5852: 2006
Clause 11 using Ignition Source 5
Methods of test for assessment of the ignitability of upholstered seating by smouldering and flaming ignition sources

Description of Test Sample: Pink fabric Poseidon

## **Test Request**

The sample supplied has been tested against the test method BS 5852: 2006 Clause 11 using ignition source 5

## **Pre - Treatment**

The test specimen was subject to a water soak procedure as outlined in BS 5852, Annex E and then line dried.

## **Conditioning**

The materials and cribs were conditioned for at least 72 hours in an indoor ambient temperature and then immediately before the test 24 hours in an atmosphere of 23± 2°C and 50± 5% r.h.

## **Comments on Test Results**

The sample supplied meets the requirements of BS 5852: 2006 Clause 11, using ignition source 5.

## **Test Results**

"The following test results relate only to the ignitability of the combination of upholstery composites (BS 5852:2006, Clause 11) under the particular conditions of test stated; they are not intended as a means of assessing the full potential fire hazard of the materials or products in use"

## **Uncertainty of Measurement**

Smouldering: +0/-60secs Flaming: +0/-10secs

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

SGS United Kingdom Ltd





## **Test Results**

	Criteria of Ignition	Test 1 Criteria Observed	Test 2 Criteria Observed
e, ou	Clause 4.1.1 a	No	No
ogressiv noulderir ignition	Clause 4.1.1 c	No	No
Progressive smouldering ignition	Clause 4.1.1 e	No	No
P. sn	Clause 4.1.1 f	No	No
uc	Clause 4.2.1 a	No	No
mitic	Clause 4.2.1 b	No	No
Flaming Ignition	Clause 4.2.1 c	No	No
amii	Clause 4.2.1 e	No	No
F	Clause 4.2.1 g	No	No
	Ignition occurring	Non – Ignition	Non – Ignition

The test specimen was tested over Combustion modified foam (CMHR) with a density of 35kg/m<sup>3</sup>.

# Criteria of ignition **Smouldering Ignition**

Clause 4.1.1 (a)	Test specimen displays escalating smouldering combustion behaviour so that it is unsafe to continue and requires forcible extinction.
Clause 4.1.1 (c)	Test specimen smoulders until it is essentially consumed or smoulders to the extremities.
Clause 4.1.1 (e)	Test specimen produces externally detectable amounts of smoke, heat or glowing 60 min after ignition of the crib.
Clause 4.1.1 (f)	Test specimen shows evidence of charring within the filling more than 100 mm in any direction apart from upwards.
Flaming Ignition	
Clause 4.2.1 (a)	Test specimen displays escalating flaming combustion behaviour and requires forcible extinction.
Clause 4.2.1 (b)	Test specimen that burns until it is essentially consumed within the test duration.  Test specimen on which any flame front reaches the extremities of the test specimen other
Clause 4.2.1 (c)	than the top of the vertical part, or passes through the full thickness of the specimen within the test duration.
Clause 4.2.1 (e)	Test specimen continues to flame for more than 10 minutes.
Clause 4.2.1 (g)	Test specimen from which flaming debris causes an isolated floor fire that continues to

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized afteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

flame for longer than 10 minutes.

SGS United Kingdom Ltd





## **Test Results**



End of Report

This document is issued by the Company under its General Conditions of Service accessible at www.sgs.com/terms\_and\_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law." Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only

SGS United Kingdom Ltd